


**PROTECTIVE  
ADHESIVE  
FILMS**

**GRANOSTICK®**

Group Packaging Films | Boil-in Bags Films | HDPE Films Mikroten® | Hygienic Disposables Films  
Laminated Films | Packaging Films | Films with Polypropylene | Agricultural Stretch Films  
**PROTECTIVE ADHESIVE FILMS** | Palletising Films | Stretch Hood | Industrial and Technical Films | Cover Film  
Bags, T-shirt Bags | Carrier Bags | Biodegradable Bags | PP Strapping Bands



# PROTECTIVE ADHESIVE FILMS

SURFACE PROTECTION  
OF PLASTIC BOARDS  
STICKY COMPONENT DIRECTLY  
IN FILM STRUCTURE



## PACKAGING

Rolls are packed in PE sheets and placed horizontally on a pallet; protected and fixed with stretch film or palletizing hood.



## ECOLOGY

Unobjectionable for environment, recyclable, films can be deposited in dumps or combusted – no harmful substances appear.



## CONTACT WITH FOODSTUFF

Unobjectionable for health, but not advised for direct contact with foodstuffs.

### Application

- » surface protection of plastic boards  
(Application: machine coating of a substrate at a temperature of at least 35 °C)
- » use in transport, storing

### Execution

- » flat film
- » wound with the adhesive layer inside or outside, according to the customer's requirement
- » adhesiveness is possible to adapt to the customer's requirement
- » uncoloured, coloured according to the customer's requirement

### Width

- » 1000 – 1350 mm
- » 2000 – 2700 mm
- » smaller width possible – must be discussed with the salesperson

### Thickness

- » 0,030 – 0,080 mm

### Cores

- » paper cores with inside  $\varnothing$  77 mm

### Outside Winding Diameter

- » 250 – 600 mm

### Roll Weight

- » 40 – 250 kg

### Surface Treatment

- » corona treatment
- » print – simple one color print  
(e.g. recycling symbol, logo)

GRANOSTICK® protective adhesive films protect the surfaces of plastic boards for industrial applications such as shower and bathtub screens, photo-frame panels, boards for desks and tables, and other applications with further board treatment such as heat moulding (plastic suitcase shells, swimming pools, etc.). It is perfectly suited for transport, storage or other processing of products and goods.

GRANOSTICK® is a registered trade name for multi-layer coextruded films from PE. The film contains sticky component directly in its structure, therefore it doesn't leave traces of glue after the peel off from the surface of protected object as it can happen with the sticky films with adhesive coating (glue layer).

Thermal resistance of the material is from -50 °C up to +85 °C, it has high resistance to most chemicals at normal and increased temperatures, it has minimal moisture absorption and good electrical insulating properties.



## GRANOSTICK®

